



# Product Guide

## Intec Insulation Blowers



Intec Force/2 K20000-01 Insulation Blower

Intec Force/2 K20010 Insulation Blower Wireless

**Enhance your Experience...**



## Wasp



Its small size and pleasing aesthetics disguise this all-fiber system's aggressive output. The Wasp insulates an average attic in less than one hour with production rates of 68 bags/hr cellulose and 16 bags/hr fiberglass. Portability is made easy with built in handles and wheels. Dense pack is made possible with its 3.9 psi -- exceeding Department of Energy requirements, slide gate, and variable speed control. Applications vary from attic installs, dense pack, spray-in, & spray-on. Both DIY'ers & contractors will obtain high payback when using this highly reliable insulation blowing machine.

Part Number	Description
0500-0600-00	Wasp



**NetZeroTools**  
800-577-6389

www.netzerotools.com

**FORCE/2**  
Intec Next Generation™

The trusted name in insulation blowing machines is now even better -- Intec's FORCE/2 Next Generation builds on its 25 year industry leading reputation with:

**Improved job sequencing**

- 4.5 psi for fast & efficient dense pack
- Hopper Extension increases capacity to more than 13 cu ft – over 2 bags cellulose & 1/2+ bag fiberglass
- Production increase to 91 bags/hr cellulose, 21 bags/hr fiberglass, & 67 bags rockwool

**Improved portability**

- Easy on/off Wheel Kit requires no tools

**Improved power requirements**

- 1-15 amp & 1-20 amp 115V circuit

Part Number	Description
K20000-01	FORCE/2 Next Generation
K20010	FORCE/2 Next Generation WIRELESS
22300	Wheel Kit
22007	Hopper Extension



Shown with wheel kit and hopper extension

## FORCE/3



Our highest volume portable system, the FORCE/3 provides install times competitive with truck mounted units. With production rates of 100 bags/hr cellulose, up to 43 bags/hr fiberglass, and 75 bags/hr rockwool, this unit is used by contractors performing retrofit and new construction installs. Many profit generating opportunities are available as applications vary between attic installs, dense pack, spray-in, and spray-on.

Part Number	Description
K30000-01	FORCE/3 STD 3.0
K30001	FORCE/3 STD 4.0
K30002	FORCE/3 Rock-N-Blow Technology

Call us Toll Free  
1-800-666-1611

or

Visit us on the Web  
www.inteccorp.com



\* Available for export

Intec's FiberForce provides complete portability complimented by high production rates and ease of use. Its two-piece design with built in handles & wheels provide the ability to transport in almost any vehicle and access any jobsite. The removable hopper has a hinged shelf to simplify product loading while minimizing aisle and transportation space requirements. 1 hour install of R-19 in a 1500 square foot attic is made possible by production rates of approximately 1,000 lbs per hour cellulose or 400 lbs per hour fiberglass. Ease of use is complimented by the wireless remote enabling operation from the installation location without the requirement of taking a cord with you.

Optional items included a slide gate to enable wall fill, and a tall hopper to provide additional ease of material feed into the oversized opening.

Part Number	Description
50002-00	FiberForce w/accessories
50004-00	FiberForce w/ slide gate w/ accessories
50005-00	FiberForce French Canadian w/ slide gate w/ accessories
50009-00	FiberForce Tall Hopper, French Canadian w/ slide gate w/ accessories
50010-00	FiberForce French Canadian w/ accessories

## FORCE/1

Our FORCE/1 package processes over 540 lbs of cellulose or 187 lbs of fiberglass per hour and weighs 177 lbs. The durability of this unit is enhanced with urethane seals, a direct drive transmission, and polyethylene construction which resists dents & dings, allowing for an attractive system appearance over years of use. This system provides ease of transportation to the job site in addition to timely installation of attic insulation – either cellulose or fiberglass -- at 2 hours for R-19 in 1500 square foot attic.



Part Number	Description
K10000	FORCE/1 w/accessories
K10000-02	FORCE/1 FGP w/accessories

## CYCLONE



Our highly portable Cyclone processes over 800 lbs of cellulose or 200 lbs of fiberglass per hour while weighing only 142 lbs with our recently enhanced aluminum airlock. This system provides ease of transportation to the job site, in addition to quick installation of attic insulation.

Part Number	Description
K81018	Cyclone w/accessories

\* Available for export

**Nothing Else Works As Well**

**Nothing Else Works As Reliably**

**Nothing Else Works As Long**

**Dense Pack Hose Kit-Single Reducer**



Part Number	Description	Quantity Required
K26200	Dense Pack Hose Kit - Single Reducer	1
22049-06	Hose Insert Tube ( 3" to 2")	1
22049	2" Mark II Hose 50'	2
22049-05	2" Hose Clamp	4
22049-07	2" Steel Hose Connector	1
22061	2" to 1-1/4" Tapered Swivel Reducer	1
22054	1-1/4" x 10' Wall Tubing	1

**Dense Pack Hose Kit-Multi Reducer**



Part Number	Description	Quantity Required
K26203	Dense Pack Hose Kit - Multi Reducer	1
22059	3" to 2-1/2" Tapered Swivel Reducer	1
22050-05	2-1/2" x 25' Hose	1
22058	2-1/2" to 2" Tapered Swivel Reducer	1
22049-13	2" x 25' Hose	1
22051-03	3" Hose Clamp	1
22050-04	2-1/2" Hose Clamp	2
22049-05	2" Hose Clamp	2
22061	2" to 1-1/4" Tapered Swivel Reducer	1
22054	1-1/4" x 10' Wall Tubing	1

**Hose & Clamps**



Part Number	Description
22049	2" MARK II Clear Hose X 50'
22050	2-1/2" MARK II Blue Hose X 50'
22051	3" MARK II Clear Hose X 50'
22052	3-1/2" MARK II Clear Hose X 50'
42063	4" MARK II Hose X 50'
J52050	6" MARK RF Hose X 50'



Part Number	Description
22054	1-1/4" x 10' Wall Tubing



Part Number	Description
22051-03	3" Hose Clamp
22050-04	2-1/2" Hose Clamp
22049-05	2" Hose Clamp

**Hose Connectors, Reducers**



Part Number	Description
22049-06	Hose insert tube 3" x 2"



Part Number	Description
42064	4" to 3" Reducer
42066	3-1/2" to 3" Reducer
22051-02	3" to 2-1/2" Reducer
22050-03	2-1/2" to 2" Reducer
22051-01	3" Connector
22050-01	2-1/2" Connector
22049-07	2" Connector

**Hose Swivels**



Simplify Spray Applications - reduce hose twist & operator fatigue by installing an Intec swivel 15' to 20' from hose discharge or intake.

Part Number	Description
J52046	2" Hose Swivel
J52049	2-1/2" Hose Swivel
J52053	3" Hose Swivel
J52058	4" Hose Swivel
J52054	6" Hose Swivel



www.netzerotools.com

**Tapered Swivel Reducers**



Part Number	Description
22061	2" to 1-1/4" Tapered Swivel Reducer
22058	2-1/2" to 2" Tapered Swivel Reducer
22059	3" to 2-1/2" Tapered Swivel Reducer

**Wall Nozzles**



Part Number	Description
22049-02	Hose Sidewall Nozzle 2" x 1"
22049-03	Hose Sidewall Nozzle 2" x 1.5"



Part Number	Description
22050-02	Sidewall Swivel Nozzle 2-1/2"
22049-04	Sidewall Swivel Nozzle 2"

**Wet Spray Pump & Accessories**



Part Number	Description
K1000	Combatt Pump Complete (Includes: Pump, HP hose, Intake & return hoses, clamps & filter.)

1000	Combatt 32 Pump Only
------	----------------------



Part Number	Description
1000-13-S	3/8" x 100' High Pressure Hose with connectors
1000-05	3/4" x 5' Intake Hose
1000-10	5/8" x 5' Return Hose
F157	7/8" Hose Clamp (#6)

**Wet Spray Nozzles**



Part Number	Description
K3004	2" Combatt Nozzle Adj.
K3005	2-1/2" Combatt Nozzle Adj.



Part Number	Description
K3200	2" Optispray Nozzle



Part Number	Description
K3000	2" Combatt Nozzle
K3001	2-1/2" Combatt Nozzle
K3002	3" Combatt Nozzle



Part Number	Description
K3202	Hydromulch Nozzle

**Wet Spray Nozzle Tips**



Part Number	Description
3150	Nozzle Quick Jet Tip Body
3150-01	Nozzle Quick Jet Tip Brass 2501
3150-015	Nozzle Quick Jet Tip Brass 25015
3150-02	Nozzle Quick Jet Tip Brass 2502
3150-03	Nozzle Quick Jet Tip Brass 2503
3150-04	Nozzle Quick Jet Tip Brass 2504
3150-06	Nozzle Tip 1/8-2502
3153	Nozzle Quick Jet Tip Body 2004
3210-01	Nozzle Optispray Tip 2501
3210-015	Nozzle Optispray Tip 25015
3210-02	Nozzle Optispray Tip 2502
3210-020C	Nozzle Optispray Tip 2502
3210-03	Nozzle Optispray Tip 2503
3210-04	Nozzle Optispray Tip
3210-05	Nozzle Optispray Tip 4010
K3225	Noz Optispray & Cap 2501
K3226	Noz Optispray & Cap 25015
K3227	Noz Optispray & Cap 2502
K3228	Noz Optispray & Cap 2503
3241	Nozzle Quick Jet Tip Brass 4001
3240	Nozzle Quick Jet Tip Brass 400067
3243	Nozzle Quick Jet Tip Brass 650025

Intec also offers replacement parts for our full line of insulation equipment, loosefill installation training, and full-time technical support.

Nothing Else Works As Well

www.netzerotools.com

## Airlock Seals

Our urethane seals last up to 3X industry average lifespan. Blower pressure is a direct result of the quality of your system's airlock seals. Maintain higher levels of peak performance while reducing the occurrences to replace your airlock seals.

### FORCE/1

Part Number	Description	Quantity Required
12023-1	FORCE/1 Airlock Seal	6



### FORCE/2



Part Number	Description	Quantity Required
22013	FORCE/2 Airlock Seal	6
22013	Wasp Airlock Seal	6



### FORCE/3

Part Number	Description	Quantity Required
32013	FORCE/3 Airlock Seal	6



### FIBER FORCE

Part Number	Description	Quantity Required
50224-00	FiberForce Airlock Seal	6



### CYCLONE

Part Number	Description	Quantity Required
9218	Cyclone Airlock Seal <i>(material: rubber belting)</i>	6



**NetZeroTools**  
800-577-6389

www.netzerotools.com

**Generators**



**GILLETTE  
GENERATORS**

Heavy Duty, long lasting portable power for contractor use. If you want clean, dependable electric power, with the most reliable engines, then GEN-PRO is the right choice for you. This generator set is made for the tough jobs where you need reliable, Kleen-Power® (i.e. low harmonic distortion) and extra starting power.

Part Number	Description	Max Watts
4007	GPN-105E	10500

**Insulation Removal Vacuum**



Make short work of insulation recycling or removal. Intec has partnered with Ark Seal International to distribute the SuperVac15. The SuperVac15 is designed for fast & profitable recycling of spray applied insulation, and removal of damaged insulation due to fire, water, and smoke. It provides simple, versatile, and profitable alternatives for the professional contractor.

Part Number	Description
J52001	SuperVac15
K30008	Intec's SuperVac15 Vacuum Package



**NetZeroTools**  
800-577-6389

www.netzerotools.com

**Machine Accessories**



Item Number	Part Number	Description
1	21200	FORCE/2 Wireless Upgrade Kit
2	22025-04	FORCE/2 Light Density Agitator
3	12025-07	FORCE/1 Fiberglass Agitator
4	22048-00	Pressure Gauge
5	12380	Hose Bag, Mesh Blue
6	J59340-S	Oriface Tube Tester 1"

**Nothing Else Works As Well**

**Nothing Else Works As Reliably**

**Nothing Else Works As Long**

## About Intec

Founded in 1977, Intec has grown to become the recognized leader in the insulation blowing equipment industry. We provide a full line of installation equipment and accessories to help you, or your customer, get the job done in an efficient and professional manner, and deliver meaningful profit opportunities.

At Intec, we are dedicated to providing the most efficient solutions and best overall value to our customers through:

- User friendly, quality equipment,
- On site technical service,
- Experienced, knowledgeable, and courteous Customer Service Team, and
- Design, engineering, and development team to solve your unique needs.

### Values

- We value integrity, honesty, and personal excellence.
- We have a passion to develop the right solution, and utilize the latest technologies, to meet the customers' needs.
- We take on big challenges, and pride ourselves in seeing them through.
- We hold ourselves accountable to our customers, partners, and employees by honoring our commitments and striving for the highest quality.

Intec equipment is offered through partnerships with Distributors and an extensive Dealer Network including independent building materials dealers, insulation manufacturers, mass merchandisers, and national co-ops. When you need dependable equipment that can be relied on to increase your efficiencies and profit generating capabilities ... trust Intec.



*Please visit our website for up-to-date offerings.*

www.netzerotools.com



3771 Monarch Street  
Frederick, CO 80530 USA

Telephone: (303) 833-6644  
Toll Free: (800) 666-1611  
Fax: (303) 833-6650